

| SEQ | PG | LIN | LABEL | OP | OPERANDS | SFX | CT | LOCN | INSTRUCTION | TYPE | CARD | A-ADDR | B-ADDR |
|-----|----|-----|--------|-------|--|-----|----|------|-------------|---------|------|--------|--------|
| 101 | | | JOB | | FORTRAN COMPILER -- SQUEEZE PHASE -- PHASE 08 | | | | | | | | |
| 102 | | | CTL | | 6611 | | | | | | | | |
| 103 | | | * | | | | | | | | | | |
| 104 | | | * | | REMOVE STATEMENT KEYWORDS | | | | | | | | |
| 105 | | | * | | NOTE UNRECOGNIZABLE STATEMENTS AND REMOVE THEM | | | | | | | | |
| 106 | | | * | | 81-83 = START (TOP ADDRESS) OF FIRST (TOP IN MEMORY) | | | | | | | | |
| 107 | | | * | | STATEMENT. REMEMBER, STATEMENTS ARE SORTED BY TYPE NOW, | | | | | | | | |
| 108 | | | * | | AND PUSHED TO THE BOTTOM OF AVAILABLE CORE. | | | | | | | | |
| 109 | | | * | | | | | | | | | | |
| 110 | | | X1 | EQU | 89 | | | | | | | | |
| 111 | | | X2 | EQU | 94 | | | | | | | | |
| 112 | | | X3 | EQU | 99 | | | | | | | | |
| 113 | | | * | | | | | | | | | | |
| 114 | | | * | | STUFF IN THE RESIDENT AREA | | | | | | | | |
| 115 | | | * | | | | | | | | | | |
| 116 | | | | EXT00 | SNAPSH, LOADNX, CDOVLY | | | | | | | | MACRO |
| 117 | | | SNAPSH | EQU | 333 | | | | 0333 | | | | GEN |
| 118 | | | PHASLD | EQU | 381 | | | | 0381 | | | | GEN |
| 119 | | | SNAPEX | EQU | 564 | | | | 0564 | | | | GEN |
| 120 | | | LOADNX | EQU | 700 | | | | 0700 | | | | GEN |
| 121 | | | CDOVLY | EQU | 700 | | | | 0700 | | | | GEN |
| 122 | | | TPREAD | EQU | 704 | | | | 0704 | | | | GEN |
| 123 | | | TPERR | EQU | 728 | | | | 0728 | | | | GEN |
| 124 | | | * | | | | | | | | | | |
| 125 | | | | EXT03 | START, TOP OF PHASE 3 | | | | | | | | MACRO |
| 126 | | | BEGIN3 | EQU | 838 | | | | 0838 | | | | GEN |
| 127 | | | TOP3 | EQU | 2600 | | | | 2600 | | | | GEN |
| 128 | | | * | | | | | | | | | | |
| 129 | | | 110 | DCW | @SQUOZE@ | | | 6 | 0110 | | | | 1 |
| 130 | | | 089 | DCW | 000 | | | 3 | 0089 | | | | 2 |
| 131 | | | 091 | DC | 00 | | | 2 | 0091 | | | | 2 |
| 132 | | | 094 | DCW | 000 | | | 3 | 0094 | | | | 2 |
| 133 | | | 096 | DC | 00 | | | 2 | 0096 | | | | 2 |
| 134 | | | 099 | DCW | 000 | | | 3 | 0099 | | | | 2 |
| 135 | | | 100 | DC | 0 | | | 1 | 0100 | | | | 2 |
| 136 | | | * | | | | | | | | | | |
| 137 | | | PHAS8 | LDPH | SQUOZE,LOADAD,BEGIN8,,,8 | | | | | | | | MACRO |
| | | | * | PHAZ | LDPH [PHASID],LOADAD,ENTAD[,SKIPFG,SKIP],[NUMBER][,HALT] | | | | | | | | GEN |
| | | | * | XFR | PHASZ PROHIBITED IN A MACRO | | | | | | | | GEN |
| | | | * | | | | | | | | | | GEN |
| | | | * | LOAD | A BLOCK | | | | | | | | GEN |
| | | | * | | | | | | | | | | GEN |
| 138 | | |)6J003 | EQU | 110 | | | | 0110 | | | | GEN |
| 139 | | |)6K003 | EQU | 700 | | | | 0700 | | | | GEN |
| 140 | | |)6L003 | EQU | 704 | | | | 0704 | | | | GEN |
| 141 | | |)6M003 | EQU | 728 | | | | 0728 | | | | GEN |
| 142 | | | | ORG | 201 | | | | | 0201 | | | |
| 143 | | | PHAS8 | BSS |)8J003,G | | | 5 | 0201 | B 257 G | | | 3 257 |
| 144 | | | | NOF | TO PATCH IN TRAPS FOR DEBUGGING | | | 1 | 0206 | N | | | 3 |

| SEQ | PG | LIN | LABEL | OP | OPERANDS | SFX | CT | LOCN | INSTRUCTION | TYPE | CARD | A-ADDR | B-ADDR |
|-----|-----|-----|--------|-----|--|-----|------|-------------|-------------|------|------|--------|--------|
| 145 | | |)0J003 | EQU | *&1 | | | 0207 | | GEN | | | |
| 146 | | | | LCA |)9J003,)6J003 | 7 | 0207 | L 278 110 | | GEN | 3 | 278 | 110 |
| 147 | | | | BCE |)1J003,)6K003,1 Q: LOADING FROM CARDS? | 8 | 0214 | B 250 700 1 | | GEN | 3 | 250 | 700 |
| 148 | | | | BCE |)1J003,)6L003&4,0 Q: LOADING FROM AUTOCODER TAPE? | 8 | 0222 | B 250 708 0 | | GEN | 3 | 250 | 708 |
| 149 | | | | RTW | 1,LOADAD READ THE BLOCK | 8 | 0230 | L %U1 838 R | | GEN | 3 | %U1 | 838 |
| 150 | | | | BER |)6M003 Q: TAPE ERROR? | 5 | 0238 | B 728 L | | GEN | 4 | 728 | |
| 151 | | | | CS | BEGIN8,)9R003 ENTER THE BLOCK | 7 | 0243 | / 838 281 | | GEN | 4 | 838 | 281 |
| 152 | | |)1J003 | CS |)6K003,)9R003 LOAD CARDS OR AUTOCODER TAPE | 7 | 0250 | / 700 281 | | GEN | 4 | 700 | 281 |
| 153 | | |)8J003 | SW |)9R003 | 4 | 0257 | , 281 | | GEN | 4 | 281 | |
| 154 | | | | MU | %T0,)8K003,W | 8 | 0261 | M %T0 273 W | | GEN | 4 | %T0 | 273 |
| 155 | | | | H |)0J003 | 4 | 0269 | . 207 | | GEN | 4 | 207 | |
| 156 | | |)8K003 | EQU | *&1 | | | 0273 | | GEN | | | |
| 157 | | |)9J003 | DCW | @SQUOZE@ PHASE ID | 6 | 0278 | | | GEN | 5 | | |
| 158 | | | | DCW | #1 | 1 | 0279 | | | GEN | 5 | | |
| 159 | | | | DC | @8@ PHASE NUMBER | 1 | 0280 | | | GEN | 5 | | |
| 160 | | |)9R003 | DCW | @}@ | 1 | 0281 | | | GEN | 5 | | |
| 161 | | | | XFR | PHAS8 | | | | B 201 | | 5 | 201 | |
| 162 | | | * | | | | | | | | | | |
| 163 | | | | ORG | BEGIN3 | | | | 0838 | | | | |
| 164 | | | LOADAD | EQU | *&1 | | | 0838 | | | | | |
| 165 | 838 | | BEGIN8 | MCW | 83,X2 | 7 | 0838 | M 083 094 | | | 6 | 083 | 094 |
| 166 | 845 | | | MCW | 83,X1 | 7 | 0845 | M 083 089 | | | 6 | 083 | 089 |
| 167 | 852 | | NEXT | MCW | 0&X1,SEQ | 7 | 0852 | M 0 0 U68 | | | 6 | 000+1 | 1468 |
| 168 | 859 | | | MCW | 0&X1,PREFIX | 7 | 0859 | M 0 0 U72 | | | 6 | 000+1 | 1472 |
| 169 | 866 | | | BCE | ARITH,PREFIX-3,R ARITHMETIC? | 8 | 0866 | B /30 U69 R | | | 6 | 1130 | 1469 |
| 170 | 874 | | | BCE | ENDSTM,PREFIX-3,/ END? | 8 | 0874 | B /56 U69 / | | | 7 | 1156 | 1469 |
| 171 | 882 | | SWITCH | BCE | SAME,PREFIX-3,X INITIALLY NONEXISTENT STMT, | 8 | 0882 | B 991 U69 X | | | 7 | 991 | 1469 |
| 172 | | | * | | LATER CURRENT ONE | | | | | | | | |
| 173 | | | * | | | | | | | | | | |
| 174 | | | * | | COMPUTE ADDRESS OF KEYWORD IF NOT THE SAME STATEMENT | | | | | | | | |
| 175 | | | * | | TYPE AS THE PREVIOUS ONE | | | | | | | | |
| 176 | | | * | | | | | | | | | | |
| 177 | 890 | | | MZ | PREFIX-3,SWITCH&7 MOVE STATEMENT CODE | 7 | 0890 | Y U69 889 | | | 7 | 1469 | 889 |
| 178 | 897 | | | MN | PREFIX-3,SWITCH&7 TO SWITCH D-MODIFIER | 7 | 0897 | D U69 889 | | | 7 | 1469 | 889 |
| 179 | 904 | | | MN | PREFIX-3,W1 | 7 | 0904 | D U69 U73 | | | 7 | 1469 | 1473 |
| 180 | 911 | | | ZA | W1,W3 W3 = | 7 | 0911 | ? U73 U76 | | | 8 | 1473 | 1476 |
| 181 | 918 | | | A | W3 3 * NUMERIC PART | 4 | 0918 | A U76 | | | 8 | 1476 | |
| 182 | 922 | | | A | W1,W3 OF STMT CODE | 7 | 0922 | A U73 U76 | | | 8 | 1473 | 1476 |
| 183 | 929 | | | MZ | NOZONE,W3 | 7 | 0929 | Y U77 U76 | | | 8 | 1477 | 1476 |
| 184 | 936 | | | LCA | TABADR,GETTAB&3 TABLE ADDRESS | 7 | 0936 | L U80 979 | | | 8 | 1480 | 979 |
| 185 | 943 | | | A | W3,GETTAB&3 + 3 * NUMERIC TO GETTAB | 7 | 0943 | A U76 979 | | | 8 | 1476 | 979 |
| 186 | 950 | | | MZ | PREFIX-3,GETTAB&2 | 7 | 0950 | Y U69 978 | | | 9 | 1469 | 978 |
| 187 | 957 | | | CW | GETTAB&1 | 4 | 0957 |) 977 | | | 9 | 977 | |
| 188 | 961 | | | MCW | X2,SAVE SAVE X2 | 7 | 0961 | M 094 U88 | | | 9 | 094 | 1488 |
| 189 | 968 | | | MCW | AND X1 | 1 | 0968 | M | | | 9 | | |
| 190 | 969 | | | MCM | INDEXS,X1-2 X1,X2,X3 = 27, 54, 81 | 7 | 0969 | P U52 087 | | | 9 | 1452 | 087 |
| 191 | 976 | | GETTAB | MCW | 0,X3 GET ADDRESS OF KEYWORD FROM TABLE | 7 | 0976 | M 000 099 | | | 9 | 000 | 099 |
| 192 | 983 | | | MCW | SAVE,X2 RETRIEVE X2 | 7 | 0983 | M U88 094 | | | 10 | 1488 | 094 |
| 193 | 990 | | | MCW | AND X1 | 1 | 0990 | M | | | 10 | | |
| 194 | 991 | | SAME | LCA | 0&X1,0&X2 MOVE STATEMENT UP | 7 | 0991 | L 0 0 0!0 | | | 10 | 000+1 | 000+2 |

| SEQ | PG | LIN | LABEL | OP | OPERANDS | SFX | CT | LOCN | INSTRUCTION | TYPE | CARD | A-ADDR | B-ADDR |
|-----|----|-----|--------|-----|--|-----|----|------|-------------|------|------|--------|--------|
| 245 | | | | | * | | | | | | | | |
| 246 | 1 | 182 | ENDSTM | C | 0&X1 GET BELOW | 4 | | 1156 | C 0 0 | | 16 | 000+1 | |
| 247 | 1 | 186 | | C | STATEMENT | 1 | | 1160 | C | | 16 | | |
| 248 | 1 | 187 | | SAR | X1 | 4 | | 1161 | Q 089 | | 16 | 089 | |
| 249 | 1 | 191 | | B | IF'DONE | 4 | | 1165 | B 45 | | 16 | 1045 | |
| 250 | | | | | * | | | | | | | | |
| 251 | | | | | * TABLE OF ADDRESSES OF STATEMENT KEYWORDS | | | | | | | | |
| 252 | | | | | * | | | | | | | | |
| 253 | 1 | 197 | TABLE | DSA | RDTAPE 1 READ TAPE | 3 | | 1171 | T77 | | 16 | 1377 | |
| 254 | 1 | 200 | | DSA | 0 | 3 | | 1174 | 000 | | 16 | 000 | |
| 255 | 1 | 203 | | DSA | WRTAPE 2 WRITE TAPE | 3 | | 1177 | T86 | | 16 | 1386 | |
| 256 | 1 | 206 | | DSA | 0 | 3 | | 1180 | 000 | | 17 | 000 | |
| 257 | 1 | 209 | | DSA | RDINTP 5 READ INPUT TAPE | 3 | | 1183 | T44 | | 17 | 1344 | |
| 258 | 1 | 212 | | DSA | WROTTP 6 WRITE OUTPUT TAPE | 3 | | 1186 | T69 | | 17 | 1369 | |
| 259 | 1 | 215 | | DSA | 0 | 3 | | 1189 | 000 | | 17 | 000 | |
| 260 | 1 | 218 | | DSA | 0 | 3 | | 1192 | 000 | | 17 | 000 | |
| 261 | 1 | 221 | | DSA | NOZONE 9 | 3 | | 1195 | U77 | | 17 | 1477 | |
| 262 | 1 | 224 | | DSA | 0 | 3 | | 1198 | 000 | | 17 | 000 | |
| 263 | 1 | 227 | | DSA | STOP S STOP | 3 | | 1201 | T10 | | 18 | 1310 | |
| 264 | 1 | 230 | | DSA | CGOTO T COMPUTED GOTO | 3 | | 1204 | S85 | | 18 | 1285 | |
| 265 | 1 | 233 | | DSA | PUNCH U PUNCH | 3 | | 1207 | T49 | | 18 | 1349 | |
| 266 | 1 | 236 | | DSA | 0 | 3 | | 1210 | 000 | | 18 | 000 | |
| 267 | 1 | 239 | | DSA | IFSW W IF (SENSE SWITCH ... | 3 | | 1213 | T01 | | 18 | 1301 | |
| 268 | 1 | 242 | | DSA | 0 | 3 | | 1216 | 000 | | 18 | 000 | |
| 269 | 1 | 245 | | DSA | 0 | 3 | | 1219 | 000 | | 18 | 000 | |
| 270 | 1 | 248 | | DSA | REWIND Z REWIND | 3 | | 1222 | T99 | | 19 | 1399 | |
| 271 | 1 | 251 | | DSA | SLITE J SENSE LIGHT | 3 | | 1225 | U51 | | 19 | 1451 | |
| 272 | 1 | 254 | | DSA | IFSL K IF (SENSE LIGHT ...) | 3 | | 1228 | U41 | | 19 | 1441 | |
| 273 | 1 | 257 | | DSA | READ L READ | 3 | | 1231 | T31 | | 19 | 1331 | |
| 274 | 1 | 260 | | DSA | 0 | 3 | | 1234 | 000 | | 19 | 000 | |
| 275 | 1 | 263 | | DSA | ENDFIL N ENDFILE | 3 | | 1237 | T93 | | 19 | 1393 | |
| 276 | 1 | 266 | | DSA | 0 | 3 | | 1240 | 000 | | 19 | 000 | |
| 277 | 1 | 269 | | DSA | PRINT P PRINT | 3 | | 1243 | T54 | | 20 | 1354 | |
| 278 | 1 | 272 | | DSA | EQUIV Q | 3 | | 1246 | U28 | | 20 | 1428 | |
| 279 | 1 | 275 | | DSA | 0 ARITHMETIC | 3 | | 1249 | 000 | | 20 | 000 | |
| 280 | 1 | 278 | | DSA | PAUSE A PAUSE | 3 | | 1252 | T06 | | 20 | 1306 | |
| 281 | 1 | 281 | | DSA | BACKSP B BACKSPACE | 3 | | 1255 | U08 | | 20 | 1408 | |
| 282 | 1 | 284 | | DSA | CONT C CONTINUE | 3 | | 1258 | T20 | | 20 | 1320 | |
| 283 | 1 | 287 | | DSA | DO D DO | 3 | | 1261 | T12 | | 20 | 1312 | |
| 284 | 1 | 290 | | DSA | IF E IF | 3 | | 1264 | S87 | | 21 | 1287 | |
| 285 | 1 | 293 | | DSA | FORMAT F FORMAT | 3 | | 1267 | T27 | | 21 | 1327 | |
| 286 | 1 | 296 | | DSA | GOTO G GOTO | 3 | | 1270 | S80 | | 21 | 1280 | |
| 287 | 1 | 299 | | DSA | 0 | 3 | | 1273 | 000 | | 21 | 000 | |
| 288 | 1 | 302 | | DSA | DIM I DIMENSION | 3 | | 1276 | U17 | | 21 | 1417 | |
| 289 | | | | | * | | | | | | | | |
| 290 | | | | | * STATEMENT KEYWORDS SPELLED BACKWARD | | | | | | | | |
| 291 | | | | | * | | | | | | | | |
| 292 | 1 | 306 | GOTO | DCW | @OTOG@ GO TO | 4 | | 1280 | | | 21 | | |
| 293 | 1 | 311 | CGOTO | DCW | @%OTOG@ GO TO (| 5 | | 1285 | | | 21 | | |
| 294 | 1 | 313 | IF | DCW | @FI@ IF | 2 | | 1287 | | | 22 | | |

| SEQ | PG | LIN | LABEL | OP | OPERANDS | SFX | CT | LOCN | INSTRUCTION | TYPE | CARD | A-ADDR | B-ADDR |
|-----|----|-----|--------------|------|--|-----|----|------|-------------|---------|-------|--------|--------|
| 295 | 1 | 327 | IFSW | DCW | @HCTIWSESNES%FI@ | | | 14 | 1301 | | | 22 | |
| 296 | 1 | 332 | PAUSE | DCW | @ESUAP@ | | | 5 | 1306 | | | 22 | |
| 297 | 1 | 336 | STOP | DCW | @POTS@ | | | 4 | 1310 | | | 22 | |
| 298 | 1 | 338 | DO | DCW | @OD@ | | | 2 | 1312 | | | 22 | |
| 299 | 1 | 346 | CONT | DCW | @EUNITNOC@ | | | 8 | 1320 | | | 22 | |
| 300 | 1 | 353 | FORMAT | DCW | @%TAMROF@ | | | 7 | 1327 | | | 23 | |
| 301 | 1 | 357 | READ | DCW | @DAER@ | | | 4 | 1331 | | | 23 | |
| 302 | 1 | 370 | RDINTP | DCW | @EPATTUPNIDAER@ | | | 13 | 1344 | | | 23 | |
| 303 | 1 | 375 | PUNCH | DCW | @HCNUP@ | | | 5 | 1349 | | | 23 | |
| 304 | 1 | 380 | PRINT | DCW | @TNIRP@ | | | 5 | 1354 | | | 23 | |
| 305 | 1 | 395 | WROTP | DCW | @EPATTUPTUOETIRW@ | | | 15 | 1369 | | | 24 | |
| 306 | 1 | 403 | RDTAPE | DCW | @EPATDAER@ | | | 8 | 1377 | | | 24 | |
| 307 | 1 | 412 | WRITAPE | DCW | @EPATETIRW@ | | | 9 | 1386 | | | 24 | |
| 308 | 1 | 419 | ENDFIL | DCW | @ELIFDNE@ | | | 7 | 1393 | | | 24 | |
| 309 | 1 | 425 | REWIND | DCW | @DNIWER@ | | | 6 | 1399 | | | 25 | |
| 310 | 1 | 434 | BACKSP | DCW | @ECAPSKCAB@ | | | 9 | 1408 | | | 25 | |
| 311 | 1 | 443 | DIM | DCW | @NOISNEMID@ | | | 9 | 1417 | | | 25 | |
| 312 | 1 | 454 | EQUIV | DCW | @ECNELAVIUQE@ | | | 11 | 1428 | | | 25 | |
| 313 | 1 | 467 | IFSL | DCW | @THGILESNES%FI@ | | | 13 | 1441 | | | 26 | |
| 314 | 1 | 477 | SLITE | DCW | @THGILESNES@ | | | 10 | 1451 | | | 26 | |
| 315 | | | * | | | | | | | | | | |
| 316 | | | * OTHER DATA | | | | | | | | | | |
| 317 | | | * | | | | | | | | | | |
| 318 | | | INDEXS | EQU | *&1 | | | | 1452 | | | | |
| 319 | 1 | 491 | | DCW | @0270005400081 @ | | | 14 | 1465 | | | 26 | |
| 320 | 1 | 494 | SEQ | DCW | #3 SEQUENCE NUMBER FROM STATEMENT | | | 3 | 1468 | | | 27 | |
| 321 | 1 | 498 | PREFIX | DCW | #4 | | | 4 | 1472 | | | 27 | |
| 322 | 1 | 499 | W1 | DCW | #1 USED TO COMPUTE 3 * NUMERIC PART OF CODE | | | 1 | 1473 | | | 27 | |
| 323 | 1 | 502 | W3 | DCW | #3 | | | 3 | 1476 | | | 27 | |
| 324 | 1 | 503 | NOZONE | DCW | #1 | | | 1 | 1477 | | | 27 | |
| 325 | 1 | 506 | TABADR | DSA | TABLE-3 | | | 3 | 1480 | /68 | | 27 | 1168 |
| 326 | 1 | 514 | SAVE | DCW | #8 | | | 8 | 1488 | | | 27 | |
| 327 | 1 | 566 | ERROR1 | DCW | @ERROR 1 - UNDETERMINABLE STATEMENT, STATEMENT @ | | | 46 | 1534 | | | 29 | |
| 328 | 1 | 567 | GMWM | DCW | @)@ | | | 1 | 1535 | | GMARK | 29 | |
| 329 | | | XFR | | BEGIN8 | | | | | B 838 | | 29 | 838 |
| 330 | | | * | | | | | | | | | | |
| 331 | | | CLRME | CLRA | BEGIN8,GMWM,C | | | | | | MACRO | | |
| | | | * | CLRA | CLRBOT,CLRTOP[,SS,HERE,GWMAD] | | | | | | GEN | | |
| | | | * | | | | | | | | GEN | | |
| | | | * CLEAR CORE | | AFTER A PHASE USING THE CLRTOP ADDRESS | | | | | | GEN | | |
| | | | * | | | | | | | | GEN | | |
| 332 | | | ORG | | 201 | | | | 0201 | | | | |
| | | | * | | | | | | | | GEN | | |
| | | | * CLEAR DOWN | | TO CLRBOT & X00 THE EASY WAY | | | | | | GEN | | |
| | | | * | | | | | | | | GEN | | |
| 333 | | | CLRME | EQU | *&1 | | | | 0201 | | | | |
| 334 | | | BSS | | SNAPSH,C | | | 5 | 0201 | B 333 C | | 30 | 333 |
| 335 | | |)0J004 | CS | GMWM CLEAR FROM CLRTOP | | | 4 | 0206 | / V35 | | 30 | 1535 |
| 336 | | | SBR | |)0J004&3 | | | 4 | 0210 | H 209 | | 30 | 209 |
| 337 | | | SBR | |)0L004&6 | | | 4 | 0214 | H 255 | | 30 | 255 |

| SEQ | PG | LIN | LABEL | OP | OPERANDS | SFX | CT | LOCN | INSTRUCTION | TYPE | CARD | A-ADDR | B-ADDR |
|-----|----|-----|--------|-----|---------------------------------------|-----|----|--------|-------------|------|------|--------|--------|
| 338 | | | | C |)0J004&3,)0M004 | | | 7 0218 | C 209 266 | GEN | 30 | 209 | 266 |
| 339 | | | | BU |)0J004 | | | 5 0225 | B 206 / | GEN | 30 | 206 | |
| | | | | * | | | | | | GEN | | | |
| | | | | * | NOW CLEAR DOWN TO CLRBOT THE HARD WAY | | | | | GEN | | | |
| | | | | * | | | | | | GEN | | | |
| 340 | | |)0K004 | C |)0L004&6,)0N004 | | | 7 0230 | C 255 269 | GEN | 30 | 255 | 269 |
| 341 | | | | BU |)0L004 | | | 5 0237 | B 249 / | GEN | 31 | 249 | |
| 342 | | | | CS | LOADNX,)0Q004 | | | 7 0242 | / 700 276 | GEN | 31 | 700 | 276 |
| 343 | | |)0L004 | LCA |)0P004,0-0 | | | 7 0249 | L 270 000 | GEN | 31 | 270 | 000 |
| 344 | | | | SBR |)0L004&6 | | | 4 0256 | H 255 | GEN | 31 | 255 | |
| 345 | | | | B |)0K004 | | | 4 0260 | B 230 | GEN | 31 | 230 | |
| 346 | | |)0M004 | DSA |)0R004 | | | 3 0266 | 899 | GEN | 31 | 899 | |
| 347 | | |)0N004 | DSA | BEGIN8 | | | 3 0269 | 838 | GEN | 31 | 838 | |
| 348 | | |)0P004 | DCW | #1 | | | 1 0270 | | GEN | 32 | | |
| 349 | | | | DC | @CLRA @ | | | 5 0275 | | GEN | 32 | | |
| 350 | | |)0Q004 | DCW | @}@ | | | 1 0276 | | GEN | 32 | | |
| 351 | | | | ORG | BEGIN8&X00 | | | | 0900 | | | | |
| 352 | | |)0R004 | EQU | * | | | | 0899 | GEN | | | |
| 353 | | | | XFR | CLRME | | | | | | 32 | 201 | |

| SYMBOL | ADDRESS | SYMBOL | ADDRESS | SYMBOL | ADDRESS | SYMBOL | ADDRESS | SYMBOL | ADDRESS | SYMBOL | ADDRESS |
|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
|)0J003 | 0207: 0 |)0J004 | 0206: 0 |)0K004 | 0230: 0 |)0L004 | 0249: 0 |)0M004 | 0266: 0 |)0N004 | 0269: 0 |
|)0P004 | 0270: 0 |)0Q004 | 0276: 0 |)0R004 | 0899: 0 |)1J003 | 0250: 0 |)6J003 | 0110: 0 |)6K003 | 0700: 0 |
|)6L003 | 0704: 0 |)6M003 | 0728: 0 |)8J003 | 0257: 0 |)8K003 | 0273: 0 |)9J003 | 0278: 0 |)9R003 | 0281: 0 |
| ARITH | 1130: 0 | BACKSP | 1408: 0 | BEGIN3 | 0838: 0 | BEGIN8 | 0838: 0 | CDOVLY | 0700: 0 | CGOTO | 1285: 0 |
| CLRME | 0201: 0 | CONT | 1320: 0 | DIM | 1417: 0 | DO | 1312: 0 | DONE | 1057: 0 | ENDFIL | 1393: 0 |
| ENDSTM | 1156: 0 | EQUIV | 1428: 0 | ERROR1 | 1534: 0 | FORMAT | 1327: 0 | GETTAB | 0976: 0 | GMWM | 1535: 0 |
| GOTO | 1280: 0 | IF | 1287: 0 | IFDONE | 1045: 0 | IFSL | 1441: 0 | IFSW | 1301: 0 | INDEXS | 1452: 0 |
| LOADAD | 0838: 0 | LOADNX | 0700: 0 | MVMORE | 1026: 0 | NEXT | 0852: 0 | NOOVL | 1100: 0 | NOZONE | 1477: 0 |
| PAGOVLY | 1098: 0 | PAUSE | 1306: 0 | PHAS8 | 0201: 0 | PHASLD | 0381: 0 | PREFIX | 1472: 0 | PRINT | 1354: 0 |
| PUNCH | 1349: 0 | RDINTP | 1344: 0 | RDTAPE | 1377: 0 | READ | 1331: 0 | REWIND | 1399: 0 | SAME | 0991: 0 |
| SAVE | 1488: 0 | SEQ | 1468: 0 | SLITE | 1451: 0 | SNAPEX | 0564: 0 | SNAPSH | 0333: 0 | STOP | 1310: 0 |
| SWITCH | 0882: 0 | TABADR | 1480: 0 | TABLE | 1171: 0 | TOP3 | 2600: 0 | TPERR | 0728: 0 | TPREAD | 0704: 0 |
| W1 | 1473: 0 | W3 | 1476: 0 | WRONG | 1066: 0 | WROTPP | 1369: 0 | WRTAPE | 1386: 0 | X1 | 0089: 0 |
| X2 | 0094: 0 | X3 | 0099: 0 | | | | | | | | |

UNREFERENCED SYMBOLS

CDOVLY PHASLD SNAPEX TOP3 TPERR TPREAD